**DEUTZ AG** 

EXECUTIVE ORDER U-R-013-0040 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)						
2001	1DZXL00.9024	0.61, 0.92	Diesel	3000						
SPECIAL I	FEATURES & EMISSION	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION							
	Indirect Diesel Inje	ection .	Tractor, Compressor and Generator Set							
ENGINE MODELS (rated power in kilowatts, kw)		See Atta	achment (1 page)							

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER	EMISSION STANDARD		EXHAUST (g/kw-hr)				OPACITY (%)				
CLASS	CATEGORY		нс	NOx	NMHC+NOx	CO	PM	ACCEL	LUG	PEAK	
KW<8	Tier 1	STD	N/A	N/A	10.5	8.0	1.0	20	15	50	
8 <u>&lt;</u> KW<19	Tier 1	STD	N/A	N/A	9.5	6.6	0.80	20	15	50	
		CERT			5.7	2.7	0.30	2	1	6	

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

R. B. Summerfield, Chief

Mobile Source Operations Division

EPA2001Apl.xlsF2\_3M1008

				,								
onents	Fuel injection pump/nozzle	description	107.6590.285	107.6590.285	107.6590.285	107.6590.285	107.6590.285	107.6590.285	107.6590.285	107.6590.285	107.6590.285	107.6590.285
	Injection rate at peak torque ±4mm³	mm³/ stroke	2	1	2	2	, 2	ı	7	, M	7	
	Speed at peak torque ± 200 rpm	грш	2000	:	2000	2000	2000	;	2200	2200	2000	
List of emission ted components	Peak torque ± 5%	Ę	54.1	ł	54	54.1	54	1			33	1
	Injection rate at nom. speed, ±4mm³	mm³/ stroke	19.7	18.7	19.4	19.4	19.4	18.0	19.2	19.4	19.0	18.0
	mq1 0č ± beeqs lsnimoM	гр	3600	3600	3200	3000	2800	1800	3600	3000	2200	1800
	Nominal Power ± 5%	Š	16.0	15.2	15.4	14.5		9.0	10.6	9.3	_	5.9
	Mominal Power ± 5%	윺	21.4	20.4	20.7	19.4	19	12.1	14.2	12.5	10.3	8
	Engine code		C16.0	D15.2	C15.4	C14.5	C14.2	D9.0	C10.6	C9.3	C7.7	D5.9
	Displacement	ст³		- 1			903	903				602
	Engine Type		F3M1008	F3M1008	F3M1008	F3M1008	F3M1008	F3M1008	F2M1008	F2M1008	F2M1008	F2M1008
			•									