DEUTZ AG

EXECUTIVE ORDER U-R-013-0184 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours) 5000					
2006	6DZXL01.6050	1.17, 1.56	Diesel						
SPECIAL	FEATURES & EMISSION	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION						
	Indirect Diesel Inje	ction	Crane, Loader, Tractor, Pump, Compressor						

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER	EMISSION STANDARD			E	XHAUST (g/kW-		OPACITY (%)			
CLASS	CATEGORY		HC	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
19 <u>≤</u> kW < 37	Tier 2	STD	N/A	N/A	7.5	5.5	0.60	20	15	50
		CERT	_	-	5.6	0.7	0.20	4	3	6

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Reghard Surrounts
A Allen Lyons, Chief

Mobile Source Operations Division

Engine Model Surmary Form

Deutz AG Manufacturer: Nonroad CI Engine category:

6DZXL01.6050 EPA Engine Family.

Mfr Family Name: D2008L3, D2008L4 **New Submission** Process Code:

Attachueut b-2-013-0184

			ų.	373			1,57						garan.	3.17	57.5	-11312)
9.Emission Control e Device Per SAE J1930		Δ		Ξ	•	٥	ā	2		靣			And the second sec	A state of the sta				
8.Fuel Rate: (lbs/hr)@peak torque	8.8	8.6	8.6	8.6	8.6	1.7	-	-	Am.							\$1.00.000,000.00000000000000000000000000		\$\$\$\$\$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$
7.Fuel Rate: mm/stroke@peak torque	26.5	26	26	26	26	32	32	32	32	32			emikamaterami amasana ar ekvana ammin neser sar			Adole i di nje i Njelike Ammenimi, milijimi i majami i mjegog		
6. Torque @ RPM (SEA Gross)	71@1800	71@1800	71@1800	71@1800	71@1800	92@1800	92@1800	92@1800	92@1800	92@1800								
5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	11.9	mantenniminiminiminiminiminiminiminiminimini	10.8	10.8	10.3	15.9	14.9	13.8	13.3	(2.7	Congress of the Advisory of Congress of Congress of the Congress of Congress o							
4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	24	25	25	26	26	24	24	24	24	miniminimine framský fetretografiský krytisky svetery v server i miniminimi 24							4	
3.BHP@RPM m (SAE Gross)	26.8@3000	25.8@2800	24.6@2600	24.2@2500	(7 23.4@2400	26,435.6@3000	34.3@2800	32.8@2600	32.1@2500	30.8@2400								-
2.Engine Model	D2008L03	D2008L03	D2008L03	D2008L03	D2008L03 /		D2008L04	D2008L04	D2008L04	D2008L04		A CANADA						
1.Engine Code	CE20	CE19,3	CE18,4	CE18,1	CE17,5	CE26,6	CE25,6	CE24,5	CE24	CE23								***************************************