

California Environmental Protection Agency Air Resources Board	DEUTZ AG	EXECUTIVE ORDER U-R-013-0456 New Off-Road Compression-Ignition Engines
--	----------	---

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)
2013	DDZXL15.9001	15.874	Diesel	8000
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION	
Common Rail Direct Injection, Turbocharger, Charge Air Cooler, Electronic Control Module, Selective Catalytic Reduction-Urea			Compressor and Other Industrial Equipment	

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for non-methane hydrocarbon (NMHC), oxides of nitrogen (NO_x), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NO_x), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION STANDARD CATEGORY		EXHAUST (g/kW-hr)					OPACITY (%)		
			NMHC	NO _x	NMHC+NO _x	CO	PM	ACCEL	LUG	PEAK
130 ≤ kW ≤ 560	Interim Tier 4/ ALT NO _x	STD	0.19	2.0	N/A	3.5	0.02	N/A	N/A	N/A
		CERT	0.02	1.6	--	1.0	0.02	--	--	--

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this 8th day of March 2013.


Annette Hebert, Chief
Mobile Source Operations Division

Deutz AG

Engine Model Summary Template

Attachment

Page 1 of 2

EO# 0-R-013-0456

Date: 2/21/2013

Nonroad CI

Nonroad CI

Page: 3/21/2013

Engine Family	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP		5.Fuel Rate: (lbs/hr) @ peak HP		6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@pe ak torque	8.Fuel Rate: (lbs/hr)@peak torque	9.Emission Control Device Per SAE J1930	
				(for diesel only)	(for diesel only)	(for diesels only)	(for diesels only)					
DDZXL15.9001	C4SI520	TCD16.0V8	697.3@2100	275		(lbs/hr) @ peak HP		256.6	2890@1400	300	186.6	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI520A	TCD16.0V8	697.3@2000	277				246.2	2890@1400	300	186.6	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI520B	TCD16.0V8	697.3@1900	286				241.5	2890@1400	300	186.6	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI505	TCD16.0V8	677.2@1800	294				235.1	2890@1400	300	186.6	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI480	TCD16.0V8	643.7@2100	250				233.3	14002800@	293	182.3	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI480A	TCD16.0V8	643.7@2000	255				226.6	2800@1400	293	182.3	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI480B	TCD16.0V8	643.7@1900	265				223.7	2800@1400	293	182.3	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI480C	TCD16.0V8	643.7@1800	278				222.3	2800@1400	293	182.3	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI440	TCD16.0V8	590.0@2100	230.8				215.4	2650@1400	278	172.9	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI440A	TCD16.0V8	590.0@2000	236				209.7	2650@1400	278	172.9	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI440B	TCD16.0V8	590.0@1900	242				204.3	2650@1400	278	172.9	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI440C	TCD16.0V8	590.0@1800	252				201.5	2650@1400	278	172.9	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI400	TCD16.0V8	536.4@2100	210				195.9	2650@1400	278	172.9	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI400A	TCD16.0V8	536.4@2000	215				191.1	2650@1400	278	172.9	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI400B	TCD16.0V8	536.4@1900	222				187.4	2650@1400	278	172.9	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI400C	TCD16.0V8	536.4@1800	225				179.9	2650@1400	278	172.9	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI350	TCD16.0V8	469.4@2100	182				169.8	2150@1400	226	140.6	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI350A	TCD16.0V8	469.4@2000	190				168.8	2150@1400	226	140.6	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI350B	TCD16.0V8	469.4@1900	192				162.1	2150@1400	226	140.6	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI350C	TCD16.0V8	469.4@1800	197				157.5	2150@1400	226	140.6	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI370	TCD16.0V8	496.2@2100	192				179.1	1900@1400	210	130.6	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI520X	TCD16.0V8	697.3@2100	274.8				256.5	2930@1400	309	192.3	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI390	TCD12.0V6	523.0@2100	281				196.6	2130@1300	303	131.2	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI390A	TCD12.0V6	523.0@2000	285				189.9	2130@1300	303	131.2	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI390B	TCD12.0V6	523.0@1900	300				189.9	2130@1300	303	131.2	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI370	TCD12.0V6	496.2@1800	295				176.9	2130@1300	303	131.2	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI360	TCD12.0V6	482.8@2100	255				178.4	2080@1300	295	127.8	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI360A	TCD12.0V6	482.8@2000	260				173.3	2080@1300	295	127.8	DDI, TC, CAC, ECM, SCR

Deutz AG
Nonroad CI

Engine Model Summary Template

Attachment

page 2 of 2

EO # U-R-013-0456

Date: 2/21/2013

Engine Family	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)		5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)		6.Torque @ RPM (SEA Gross)		7.Fuel Rate: mm/stroke@pe ak torque		8.Fuel Rate: (lbs/hr)@peak torque		9.Emission Control Device Per SAE J1930
				mm/stroke @ peak HP (for diesel only)	HP (for diesel only)	(lbs/hr) @ peak HP (for diesels only)	HP (for diesels only)	(SEA Gross)	(SEA Gross)	mm/stroke@pe ak torque	mm/stroke@pe ak torque	(lbs/hr)@peak torque	(lbs/hr)@peak torque	
DDZXL15.9001	C4SI360B	TCD12.0V6	482.8@1900	270	270	170.9	170.9	2080@1300	295	2080@1300	295	127.8	127.8	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI350	TCD12.0V6	469.4@1800	272	272	163.1	163.1	2080@1300	295	2080@1300	295	127.8	127.8	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI330	TCD12.0V6	442.5@2100	235	235	164.4	164.4	2000@1300	280	2000@1300	280	121.3	121.3	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI330A	TCD12.0V6	442.5@2000	240	240	159.9	159.9	2000@1300	280	2000@1300	280	121.3	121.3	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI330B	TCD12.0V6	442.5@1900	245	245	155.1	155.1	2000@1300	280	2000@1300	280	121.3	121.3	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI330C	TCD12.0V6	442.5@1800	255	255	152.9	152.9	2000@1300	280	2000@1300	280	121.3	121.3	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI300	TCD12.0V6	402.3@2100	215	215	150.4	150.4	2000@1300	280	2000@1300	280	121.3	121.3	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI300A	TCD12.0V6	402.3@2000	220	220	146.6	146.6	2000@1300	280	2000@1300	280	121.3	121.3	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI300B	TCD12.0V6	402.3@1900	225	225	142.4	142.4	2000@1300	280	2000@1300	280	121.3	121.3	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI300C	TCD12.0V6	402.3@1800	230	230	137.9	137.9	2000@1300	280	2000@1300	280	121.3	121.3	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI273	TCD12.0V6	366.1@2100	200	200	139.9	139.9	1800@1300	255	1800@1300	255	110.4	110.4	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI273A	TCD12.0V6	366.1@2000	205	205	136.6	136.6	1800@1300	255	1800@1300	255	110.4	110.4	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI273B	TCD12.0V6	366.1@1900	210	210	132.9	132.9	1800@1300	255	1800@1300	255	110.4	110.4	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI273C	TCD12.0V6	366.1@1800	215	215	128.9	128.9	1800@1300	255	1800@1300	255	110.4	110.4	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI240	TCD12.0V6	321.8@2100	195	195	136.4	136.4	1500@1300	215	1500@1300	215	93.1	93.1	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI240A	TCD12.0V6	321.8@2000	180	180	119.9	119.9	1500@1300	215	1500@1300	215	93.1	93.1	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI240B	TCD12.0V6	321.8@1900	185	185	117.1	117.1	1500@1300	215	1500@1300	215	93.1	93.1	DDI, TC, CAC, ECM, SCR
DDZXL15.9001	C4SI240C	TCD12.0V6	321.8@1800	190	190	113.9	113.9	1500@1300	215	1500@1300	215	93.1	93.1	DDI, TC, CAC, ECM, SCR